



CABINETS CATALOGUE

Dupolco

Marine & Offshore

Delta Industrieweg 40 Hal 24/25 3251 LX Stellendam

Tel: 0187 - 490055

Fax: 0187 - 820235

E-mail: sales@dupolco.com

Web: www.dupolco.com

GRP: Storage cabinet DMO-01

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Firemen's equipment (5 comp sets incl. SCBA)
- Survival suits (40pcs dep on size)
- Lifejackets (70pcs dep on type)
- Emergency response team equipment
- Helideck crash equipment (incl. ladder & grab hook)
- **Options**
- Shelves/bulkhead/clothing bar
- Ventilation
- Flame retardant version
- Heating (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1800 x 800 x 2030 (HxLxD)
Apereture dimensions	1610 x 750 x 1760 (HxLxD)
Angle of door opening	90°
Weight	95 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-01 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-02

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Firemen's equipment (2 sets incl. SCBA)
- Survival suits (20pcs dep on size)
- Lifejackets (35pcs dep on type)
- Emergency response team equipment
- Helideck crash equipment (incl. ladder & grab hook)

- Options

- Shelve/bulkhead/clothing bar
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	975 x 595 x 2195 (HxLxD)
Apereture dimensions	
Angle of door opening	90°
Weight	95 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-02 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-04

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Firemen's equipment (5 sets incl. SCBA)
- Survival suits (40pcs dep on size)
- Lifejackets (70 pcs dep on type)
- Helideck crash equipment (incl. ladder & grab hook)

Options

- Shelves/bulkhead/clothing bar
- Ventilation
- Flame retardant version
- Heating (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1235 x 602 x 1830 (HxLxD)
Apereture dimensions	1056 x 602 x 1596 (HxLxD)
Angle of door opening	90°
Weight	95 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-04 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-05

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Fireman's equipment (2 sets incl. SCBA)
 - Fireman's clothing (4 sets)
 - Survival suits (20pcs dep on size)
 - Lifejackets (35pcs dep on type)
 - Emergency response team equipment
 - Helideck crash equipment (incl. ladder & grab hook)
- Options**
- Shelves/bulkhead/clothing bar
 - Ventilation
 - Flame retardant version
 - Heaters (conventional/ATEX approved)
 - Lightning (conventional/ATEX approved)
 - Lettering
 - Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1035 x 800 x 2030 (HxLxD)
Apereture dimensions	810 x 750 x 1750 (HxLxD)
Angle of door opening	90°
Weight	57.5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-05 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-07

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Moveable fire extinguisher (50kg DP/45ltr F)

- Options

- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1000 x 1050 x 1580 (HxLxD)
Apereture dimensions	780 x 990 x 1410 (HxLxD)
Angle of door opening	90°
Weight	50 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-07 IP56
and Lloyds certified.



GRP: Storage cabinet DMO-09

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Fire hydrant cabinet (4 hoses/spray nozzles/ spanners)
- Survival suits (20pcs dep on size)
- Lifejackets (30 pcs dep on type)
- Fireman's clothing (4 sets folded)
- SCBA storage (2 sets + sparecylinder)
- Electrical safety kit
- Fall protection equipment/descent unit
- Chemical protection equipment

Options

- Shelves/bulkhead/clothing bar
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour



GRP Safety cabinet: DMO-09 IP56 and Lloyds certified.

TECHNISCHE SPECIFICATIES

Dimensions	825 x 602 x 1277 (HxLxD)
Apereture dimensions	610 x 550 x 1010 (HxLxD)
Angle of door opening	90°
Weight	30 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP: Storage cabinet DMO-11

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Basket stretchers/scoop stretchers
 - First aid kit
 - Stretcher blankets
 - Safety torches
 - Radio's
 - Rescue materials
- Options**
- Shelves/bulkhead/clothing bar
 - Ventilation
 - Flame retardant version
 - Heaters (conventional/ATEX approved)
 - Lightning (conventional/ATEX approved)
 - Lettering
 - Different colour

TECHNISCHE SPECIFICATIES

Dimensions	800 x 600 x 2400 (HxLxD)
Apereture dimensions	615 x 545 x 2175 (HxLxD)
Angle of door opening	90°
Weight	50 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-11 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-12

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Basket stretchers/scoop stretchers
- First aid kit
- Stretcher blankets
- Safety torches
- Radio's
- Rescue materials

Options

- Shelves/bulkhead/clothing bar
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lightning (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	800 x 300 x 2400 (HxLxD)
Apereture dimensions	615 x 245 x 2175 (HxLxD)
Angle of door opening	90°
Weight	40 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-12 IP56
and Lloyds certified.



GRP: Storage cabinet DMO-32

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Fire extinguisher
- Safety buoy

- Options

- Shelf
- Ventilation
- Flame retardant version
- Heating (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	700 x 305 x 950 (HxLxD)
Apereture dimensions	
Angle of door opening	90°
Weight	
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-32 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-33

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Eyewash bottles
- Safety torches
- Escape masks
- Descent units
- First aid kit

- Options

- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	600 x 300 x 600 (HxLxD)
Apereture dimensions	525 x 225 x 260 (HxLxD)
Angle of door opening	90°
Weight	11 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-33 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-35

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Fire extinguisher (1pcs DF/F/CO2)
- Survival suits (1pcs)
- Lifejackets (4pcs inflatable)
- Escape mask (10pcs dep on type)
- Emergency escape breathing apparatus

Options

- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	475 x 250 x 980 (HxLxD)
Apereture dimensions	335 x 210 x 830 (HxLxD)
Angle of door opening	90°
Weight	
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-35 IP56
and Lloyds certified.



GRP: Storage cabinet DMO-36

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- 15/20m firehose
- Spray nozzle
- Coupling spanner
- Lifejackets
- Deck equipment
- Immersion suits

Options

- Shelf
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	475 x 350 x 980 (HxLxD)
Apereture dimensions	475 x 310 x 830 (HxLxD)
Angle of door opening	90°
Weight	15 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-36 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-37

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.



Room to store:


- Fire extinguisher
- Escape masks

- Options

- Shelf
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	380 x 260 x 810 (HxLxD)
Apereture dimensions	320 x 220 x 740 (HxLxD)
Angle of door opening	90°
Weight	9 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-37 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-38

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Fire extinguisher (1pcs)
- Ba set
- Fireman's clothing
- Survival suit
- Lifejackets

- **Options**
- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1139 x 459 x 283 (HxLxD)
Apereture dimensions	810 x 750 x 1750 (HxLxD)
Angle of door opening	90°
Weight	57.5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-38 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-39

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Fire extinguisher (2pcs)
- Ba set
- Fireman's clothing
- Survival suit
- Lifejackets

- **Options**
- Shelves
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1139 x 709 x 283 (HxLxD)
Apereture dimensions	810 x 750 x 1750 (HxLxD)
Angle of door opening	90°
Weight	57.5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-39 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-40

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Firehose
- **Options**
 - Flame retardant version
 - Heaters (conventional/ATEX approved)
 - Lettering
 - Different colour

TECHNISCHE SPECIFICATIES

Dimensions	702 x 203 x 626 (HxLxD)
Apereture dimensions	534 x 203 x 455 (HxLxD)
Angle of door opening	89°
Weight	7 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-40 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-41

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Firehose
- **Options**
 - Flame retardant version
 - Heaters (conventional/ATEX approved)
 - Lettering
 - Different colour

TECHNISCHE SPECIFICATIES

Dimensions	720 x 344 x 636 (HxLxD)
Apereture dimensions	534 x 344 x 455 (HxLxD)
Angle of door opening	90°
Weight	10 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-41 IP56 and Lloyds certified.



GRP: Storage cabinet DMO-51

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Emergency equipment
- Survival suits (2pcs dep on type)
- Lifejackets (6pcs dep on type)
- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	2450 x 1050 x 1000 (HxLxD)
Apereture dimensions	2400 x 9500 x 950 (HxLxD)
Angle of door opening	90°
Weight	60 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-51 IP56 and Lloyds certified.

GRP: Storage cabinet DMO-55

The Dupolco Marine & Offshore cabinets are designed for the harsh offshore conditions. They are made of durable GRP material, certified to IP56 by Lloyd's, and have ABS product type approval. All cabinets are made with stainless steel locks and hinges. The cabinets can be configured according to different storage requirements.




Room to store:

- Fireman's equipment
 - Fireman's clothing
 - Survival suits (2pcs dep on size)
 - Lifejackets (6pcs dep on type)
 - Emergency response team equipment
 - Helideck crash equipment (excl. ladder/rescure hook)
 - Fall protection equipment/descent units
- Options**
- Ventilation
 - Flame retardant version
 - Heaters (conventional/ATEX approved)
 - Lettering
 - Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1024 x 500 x 600 (HxLxD)
Apereture dimensions	910 x 359 x 560 (HxLxD)
Angle of door opening	90°
Weight	20 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	EPDM
Reinforcement	Core material
Lettering	Wit
Approvals	IP56 BS EN 60529:1992 Lloyds



GRP Safety cabinet: DMO-55 IP56 and Lloyds certified.



GRP: Storage cabinet DP-01

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 15/20m firehose incl. pipe or gun
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	510 x 410 x 160 (HxLxD)
Apereture dimensions	500 x 400 x 150 (HxLxD)
Angle of door opening	110°
Weight	3 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-01 IP56 and Lloyds certified.

GRP: Storage cabinet DP-02

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- 15/20m firehose
- Spray nozzle
- Coupling
- Coupling spanner

- Options

- Shelf
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	645 x 545 x 160 (HxLxD)
Apereture dimensions	640 x 470 x 150 (HxLxD)
Angle of door opening	180°
Weight	4 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-02 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-03

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 15/20m firehose incl. pipe or gun
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heater (conventional/ATEX approved)
- Pin and clamp bar
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	645 x 545 x 260 (HxLxD)
Apereture dimensions	640 x 470 x 250 (HxLxD)
Angle of door opening	180°
Weight	4 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-03 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-04

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 15/20m firehose
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	745 x 645 x 165 (HxLxD)
Apereture dimensions	670 x 570 x 160 (HxLxD)
Angle of door opening	110°
Weight	6 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-04 IP56 and Lloyds certified.

GRP: Storage cabinet DP-05

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 15/20m firehose incl. pipe or gun
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	745 x 645 x 265 (HxLxD)
Apereture dimensions	670 x 570 x 260 (HxLxD)
Angle of door opening	110°
Weight	6 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-05 IP56 and Lloyds certified.

GRP: Storage cabinet DP-06

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Firehose (8pcs dep on type)
- Spray nozzle
- Coupling
- Coupling spanner

- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	900 x 900 x 350 (HxLxD)
Apereture dimensions	830 x 830 x 340 (HxLxD)
Angle of door opening	180°
Weight	12 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-06 IP56 and Lloyds certified.

GRP: Storage cabinet DP-07

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Firehose (4pcs dep on type)
- Spray nozzle
- Coupling
- Coupling spanner

- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heater (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	900 x 900 x 250 (HxLxD)
Apereture dimensions	830 x 830 x 240 (HxLxD)
Angle of door opening	180°
Weight	9 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
Color	
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-07 IP56 and Lloyds certified.

GRP: Storage cabinet DP-08

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Lifejackets
- Deck equipment
- Immersion suits
- **Options**
- Hinged,- or take off lid
- Ventilation
- Flame retardant version
- Lettering
- Epdm door seal
- ss 316
- Handles
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	973 x 453 x 309 (HxLxD)
Apereture dimensions	940 x 400 x 300 (HxLxD)
Angle of door opening	110°
Weight	8 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-08 IP56 and Lloyds certified.

GRP: Storage cabinet DP-09

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Lifejackets
- Deck equipment
- Firemens outfit (1 set)

- Options

- Hinged,- or take off lid
- Ventilation
- Flame retardant version
- Lettering
- Epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	990 x 490 x 380 (HxLxD)
Apereture dimensions	950 x 450 x 370 (HxLxD)
Angle of door opening	110°
Weight	12 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-09 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-10

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Lifejackets
- Deck equipment
- Immersion suits
- **Options**
- Hinged,- or take off lid
- Ventilation
- Flame retardant version
- Lettering
- Epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1905 x 800 x 760 (HxLxD)
Apereture dimensions	1860 x 790 x 740 (HxLxD)
Angle of door opening	180°
Weight	45 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	Core material 3mm on sides and in lid
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-10 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-11

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Lifejackets
- Deck equipment
- Firemens outfit
- **Options**
- Hinged,- or take off lid
- Ventilation
- Flame retardant version
- Lettering
- Epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	975 x 800 x 750 (HxLxD)
Apereture dimensions	935 x 760 x 740 (HxLxD)
Angle of door opening	110°
Weight	20 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-11 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-12

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Ba set
- Firehoses and nozzles
- Fire extinguisher (2pcs dep on type)
- PPE equipment
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- Window
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	285 x 485 x 810 (HxLxD)
Apereture dimensions	275 x 410 x 740 (HxLxD)
Angle of door opening	110°
Weight	12.5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
Color	
IP rating	
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-12 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-13


Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:

- PPE equipment incl. nozzle/gun
- Fireman outfit (1 set)
- Up to 4pcs firehose 20m incl nozzle
- BA set
- Electrical rescue kit

- **Options**
- Shelve(s)
- BA clip
- Ventilation
- Flame retardant version
- Heating (conventional/ATEX approved)
- Pin and clamp interior
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour



**GRP Safety cabinet: DP-13 IP56
and Lloyds certified.**

TECHNISCHE SPECIFICATIES

Dimensions	350 x 675 x 1075 (HxLxD)
Apereture dimensions	345 x 610 x 995 (HxLxD)
Angle of door opening	110°
Weight	17 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	3mm corematerial in back/bottom
Lettering	Wit
Approvals	CE

GRP: Storage cabinet DP-14

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Eye wash bottles
- AED
- First aid kit
- PPE equipment
- Escape masks
- Survival suit
- Lifejacket

- Options

- Shelf
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	245 x 385 x 535 (HxLxD)
Apereture dimensions	235 x 370 x 515 (HxLxD)
Angle of door opening	110°
Weight	5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
Color	
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	EPDM
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-14 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-15

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 2.5kg or 4.5kg lifebuoy
- Throwing line (30m)
- Safety light
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Lettering
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	140 x 900 x 900 (HxLxD)
Apereture dimensions	125 x 900 x 900 (HxLxD)
Angle of door opening	110°
Weight	9 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	Neopreen
Reinforcement	3mm corematerial in the back
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-15 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-16

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- 15/20m firehose

- Options

- GRP bracket for gun/nozzle
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	265 x 130 x 450 (HxLxD)
Apereture dimensions	
Angle of door opening	
Weight	1.5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-16 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-17

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Up to 8pcs 15/20m firehose incl. nozzle/gun
- Firemans outfit
- Lifejackets

- **Options**
- BA clip
- Brackets for parts
- Ventilation
- Flame retardant version
- Shelve
- Lettering
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	350 x 760 x 1300 (HxLxD)
Apereture dimensions	310 x 690 x 1270 (HxLxD)
Angle of door opening	110°
Weight	19 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
Color	
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	Neopreen
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-17 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-18

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Fire extinguisher (up to 12kg)
- BA set

- Options

- BA clip
- Ventilation
- Flame retardant version
- Shelve
- Lettering
- Neopreen/epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	350 x 355 x 825 (HxLxD)
Apereture dimensions	340 x 300 x 780 (HxLxD)
Angle of door opening	110°
Weight	6 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-00 IP56 and Lloyds certified.

GRP: Storage cabinet DP-19

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Fire extinguisher (up to 12kg)
- Ba set

- Options

- Shelf
- Ventilation
- Flame retardant version
- Lettering
- BA clip
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	250 x 355 x 825 (HxLxD)
Apereture dimensions	240 x 300 x 780 (HxLxD)
Angle of door opening	110°
Weight	5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-19 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-20

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- (big) firemans axe

- Options

- Flame retardant version
- Lettering
- Brackets for gun
- Epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	110 x 410 x 1020 (HxLxD)
Apereture dimensions	95 x 380 x 990 (HxLxD)
Angle of door opening	110°
Weight	5 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 316
Hinges	SS 316
Seal	Neopreen
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-20 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-21

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Int ship to shore connection
- Eyewash bottle (dep on type)

- Options

- Flame retardant version
- Lettering
- Bracket for STS connection
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	280 x 280 x 175 (HxLxD)
Apereture dimensions	220 x 220 x 155 (HxLxD)
Angle of door opening	180°
Weight	2 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-21 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-22

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Various deck equipment
- Lifejackets
- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Epdmseal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	740 x 443 x 314 (HxLxD)
Apereture dimensions	705 x 410 x 310 (HxLxD)
Angle of door opening	110°
Weight	7 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-22 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-23

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 162 T-cards
- **Options**
- Flame retardant version
- Lettering
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	120 x 453 x 973 (HxLxD)
Apereture dimensions	110 x 410 x 950 (HxLxD)
Angle of door opening	110°
Weight	4 kg
Material	GRP
Color	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	Neopreen
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-23 IP56 and Lloyds certified.

GRP: Storage cabinet DP-24

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- 15/20m firehose incl. pipe or gun
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	510 x 410 x 160 (HxLxD)
Apereture dimensions	500 x 400 x 150 (HxLxD)
Angle of door opening	90°
Weight	4 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-24 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-25

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Deckequipment
- Lifejackets
- Immersion suits
- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Epdm seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1890 x 720 x 610 (HxLxD)
Apereture dimensions	1860 x 690 x 600 (HxLxD)
Angle of door opening	110°
Weight	35 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	EPDM
Reinforcement	3mm corematerial in the sides
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-25 IP56 and Lloyds certified.

GRP: Storage cabinet DP-26

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Deck equipment
- Lifejackets
- Immersion suits
- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- ss 316
- Grp feet
- Hinged version
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1890 x 720 x 610/550 (HxLxD)
Apereture dimensions	1860 x 690 x 590/530 (HxLxD)
Angle of door opening	
Weight	45 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	EPDM
Reinforcement	3mm corematerial in seat/back
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-26 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-27

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Deckequipment
- Lifejackets
- Immersion suits

- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- ss 316
- Handles
- Different colour
- Grp feet
- Hinged version

TECHNISCHE SPECIFICATIES

Dimensions	947/610 x 1250 x 720 (HxLxD)
Apereture dimensions	590/530 x 1230 x 690 (HxLxD)
Angle of door opening	
Weight	45 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-27 IP56 and Lloyds certified.

GRP: Storage cabinet DP-28

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Immersion suits (amount dep on type)
- Lifejackets (amount dep on type)
- Firehoses
- Deck equipment

- Options

- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- ss 316
- Hinged version
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	650 x 1250 x 720 (HxLxD)
Apereture dimensions	640 x 1200 x 680 (HxLxD)
Angle of door opening	110°
Weight	35 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	IP56
Door catch	Nylon
Door handle	
Hinges	SS 304/316
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-28 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-29

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

- Lifejackets
- Deck equipment
- Immersion suits
- **Options**
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Lettering
- Neopreen/epdm door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	625 x 625 x 390 (HxLxD)
Apereture dimensions	590 x 590 x 380 (HxLxD)
Angle of door opening	110°
Weight	6 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-29 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-31

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- 15/20m firehose (incl. nozzle or gun)

- Options

- Flame retardant version
- Lettering
- Brackets for gun
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	330 x 120 x 210 (HxLxD)
Apereture dimensions	315 x 315 x - (HxLxD)
Angle of door opening	
Weight	1 kg
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



**GRP Safety cabinet: DP-31 IP56
and Lloyds certified.**

GRP: Storage cabinet DP-32

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.




Room to store:

-
- **Options**
- Shelve
- Ventilation
- Flame retardant version
- Heaters (conventional/ATEX approved)
- Pin and clamp interior
- T-bar
- Lettering
- Brackets for gun
- Neopreen door seal
- ss 316
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	620 x 1270 x 1100 (HxLxD)
Apereture dimensions	570 x 1245 x 1090 (HxLxD)
Angle of door opening	180°
Weight	
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	SS 304
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-32 IP56 and Lloyds certified.

GRP: Storage cabinet DP-33

Dupolco cabinets are designed for (tough) marine and industrial conditions. Manufactured from durable GRP material. All cabinets are manufactured with stainless steel locks and hinges. The cabinets can be configured to suit different storage requirements.



Room to store:


- Lifejackets (8-10pcs dep on type)
- Immersion suits (4pcs ep on type)
- Helicopter crash kit (1 full set)

- Options

- Ventilation
- Flame retardant version
- Lettering
- Different colour

TECHNISCHE SPECIFICATIES

Dimensions	1450 x 500 x 450 (HxLxD)
Apereture dimensions	
Angle of door opening	180°
Weight	
Material	GRP
	Safety Green RAL 6002
	Firefighting Red RAL 3000
	Safety Orange RAL 2009
Color	Lifesaving White RAL 9010
IP rating	
Door catch	Nylon
Door handle	SS 304
Hinges	SS 304
Seal	
Reinforcement	
Lettering	Wit
Approvals	CE



GRP Safety cabinet: DP-33 IP56 and Lloyds certified.